



## **Key**Features

High Power Transfer Efficiency

Preservation of Modal Content

Wide Optical Wavelength Band

Custom Configurations Available

RoHS Compliant

### **Applications**

Fiber Lasers

Fiber Amplifiers

### **Mode Field Adaptor**

ITF Labs' Mode Field Adaptors feature exceptional optical characteristics. These devices expand the mode field of a single mode fiber to match the size of the LP01 mode of the multimode output fiber. This ensures maximum power transmission and minimum degradation of the signal quality (M²). These devices can also be used to absorb residual pump light in the reverse direction, preventing damage to the seed or isolator.

These devices are qualified in both low and high dissipation versions for high power applications like fiber lasers and amplifiers. Custom Mode Field Adaptors can be designed to meet a wide range of fiber types.



Please contact us at:

North America: 514.748.4848

888.922.1044

Europe & Asia: +33 (0) 1 69 80 57 50 or via e-mail at info@itflabs.com









#### **Mode Field Adaptor**

# SPECIFICATIONS\* **STANDARD CONFIGURATIONS**

Product Code	MFA100S2101	MFA100S2021	MFA100S2041	MFA100S7101	MFA100S7021
Optical Specifications		'			
Operating Wavelengths	1040-1080 nm				
Input Fiber					
Core/clad diameter	HI 1060			10/125 μm	10/125 μm
NA				0.08/0.46	0.08
Output Fiber					
Core/clad diameter	25/250 μm	20/400 μm	25/300 μm	25/250 μm	20/400 μm
NA	0.06/0.46	0.06/0.46	0.06/0.46	0.06/0.46	0.06/0.46
Maximum Cladding Light Absorption (1)	10 W				
Maximum Transmitted Power (2)	100 W				
LP01 Maximum Insertion Loss	< 0.5 dB				
Mechanical Specifications					
Dimensions	60 x 12 x 6.5 mm				
Fiber Pigtail Length Input/Output (3)	A= 1000 mm				
	B= 2000 mm				
		C= 3000 mm			

<sup>(1)</sup> Not designed to guide clad borne light

Revised Jan 2012

ITF Labs North America: 514.748.4848

888.922.1044

Europe and Asia: +33 (0)1 69 80 57 50 www.itflabs.com • info@itflabs.com

ORDERING INFORMATION



<sup>(2)</sup> Higher power rating available on request

<sup>(3)</sup> Pricing is dependant on fiber pigtail length

<sup>\*</sup>Specifications subject to change without notice.